

Relays - Mech. Interlocked Relay, 24V60V (Metal to Metal)

Approved Vendors

<u>S.no</u>	<u>Company Name</u>	<u>Registered Address</u>	<u>Factory Address</u>	<u>Contact Detail</u>	<u>Remarks</u>
1	M/s INTEGRA ENGINEERING INDIA LTD- HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II,Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tandon@integraengineering.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval In this case.
2	M/s SIEMENS LTD-NAVI MUMBAI	Thane - Belapur road Opp. Airoli Station Navi mumbai,Maharashtra - 400708, India	Plot No. C-1, Additional Industrial Area, MIDC, Ambad nashik,Maharashtra - 422010, India	Ph:09842247311 Fax: 04259 — 259212 Email:sushil.karulkar@siemens.com	Capacity (PA) :- 150000 Numbers Remarks: 1. Production capacity for all Metal to Metal relay variants taken together. 2. Contact configuration: 4F.4B, 5F.3B, 6F.2B 3. Next Quality Audit due on 17.09.24 to 17.09.2026 (3 to 5 years from last Quality Audit)
<u>Developmental Vendors</u>					
1	M/s HYTRONICS ENTERPRISES INDIA PRIVATE LIMITED- HYDERABAD.	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Ph : 040-27124679/4680 Fax: 040-27121517 E-mail: hytronics_hyd@yahoo.co.in	Capacity (PA) :- 60000 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Voltage: 24 V DC, Contact configuration 12F.4B(Code ABCDE) & 8F.8B (Code: ABCDF) , Style name: QN1 3. Next Quality Audit due on 09.11.2025 to 09.11.2027 (3 to 5 years from last Quality Audit)

RELAYS Point contactor unit

Approved Vendors

S.no	Company Name	Registered Address	Factory Address	Contact Detail	Remarks
1	M/s INTEGRA ENGINEERING INDIA LTD-HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II, Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tandon@integraengineering.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval in this case.
2	M/s SIEMENS LTD-NAVI MUMBAI	Thane - Belapur road Opp. Airoli Station Navi Mumbai,Maharashtra - 400708, India	Plot No. C-1, Additional Industrial Area, MIDC, Ambad nashik,Maharashtra - 422010, India	Ph:09842247311 Fax: 04259 — 259212 Email:sushil.karulkar@siemens.com	Capacity (PA) :- 150000 Numbers Remarks: 1. Production capacity for all Metal to Metal relay variants taken together. 2. Contact configuration: 4F.4B, 5F.3B, 6F.2B 3. Next Quality Audit due on 17.09.24 to 17.09.2026 (3 to 5 years from last Quality Audit)

Fuse Auto Change Over System for Railway Signalling (Type-I/II System)

Approved Vendors

<u>S.no</u>	<u>Company Name</u>	<u>Registered Address</u>	<u>Factory Address</u>	<u>Contact Detail</u>	<u>Remarks</u>
1	M/s HYTRONICS ENTERPRISES INDIA PRIVATE LIMITED-HYDERABAD.	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Plot no 192/A/1, Phase II, IDA Cherlapally HYDERABAD.,Telangana - 500051, India	Ph : 040- 27124679/4680 Fax: 040-27121517 E-mail: hytronics_hyd@yahoo.co.in	Capacity (PA) :- 60000 Numbers Remarks: 1. Production capacity for all relayvariants taken together 2. Voltage: 60 V DC,Contact configuration 1N/R, Style name: 3PPR,Descripion: 77 ohm, DC 3-Position Polarised Relay3. Next Quality Audit due on 09.11.2025 to09.11.2027 (3 to 5 years from last Quality Audit)
2	M/s SIGNAL AND TELECOMMUNICATION WORKSHOP SOUTHERN RAILWAY-COIMBATORE	Southern Railway,Podanur Coimbatore,Tamil Nadu - 641023, India	Southern Railway,Podanur Coimbatore,Tamil Nadu - 641023, India	Ph : 0422-2413266 Fax: 0422-2413036 email:- cwmpjtj@sr.railnet.gov.in	Capacity (PA) :- 78000 Numbers Remarks: . Production capacity for all relay variants taken together 2. Next Quality Audit due on 08.09.2026 to 08.09.2028 (3 to 5 years from last Quality Audit).

Relays -DC Neutral Line Relay, ACI, 60 V DC (Metal to Metal Contact)

Approved Vendors

<u>S.no</u>	<u>Company Name</u>	<u>Registered Address</u>	<u>Factory Address</u>	<u>Contact Detail</u>	<u>Remarks</u>
1	M/s HYTRONICS ENTERPRISES INDIA PRIVATE LIMITED-HYDERABAD.	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Ph : 040- 27124679/4680 Fax: 040-27121517 E-mail: hytronics_hyd@yahoo.co.in	Capacity (PA) :- 60000 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Voltage: 24 V DC, Contact configuration 12F.4B(Code ABCDE) & 8F.8B (Code: ABCDF) , Style name: QN1 3. Next Quality Audit due on 09.11.2025 to 09.11.2027 (3 to 5 years from last Quality Audit)
2	M/s INTEGRA ENGINEERING INDIA LTD-HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II,Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tandon@integraengineering.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval in this case.
3	M/s SIEMENS LTD-NAVI MUMBAI	Thane - Belapur road Opp. Airoli Station Navi mumbai,Maharashtra - 400708, India	Plot No. C-1, Additional Industrial Area, MIDC, Ambad nashik,Maharashtra - 422010, India	Ph:09842247311 Fax: 04259 — 259212 Email:sushil.karulkar@siemens.com	Capacity (PA) :- 150000 Numbers Remarks: 1. Production capacity for all Metal to Metal relay variants taken together. 2. Contact configuration: 4F.4B, 5F.3B, 6F.2B 3. Next Quality Audit due on 17.09.24 to 17.09.2026 (3 to 5 years from last Quality Audit)

Relays -DC Neutral Line Relay, Non ACI, 24V60 V DC (Metal to Metal Contact)

<u>Approved Vendors</u>					
<u>S.no</u>	<u>Company Name</u>	<u>Registered Address</u>	<u>Factory Address</u>	<u>Contact Detail</u>	<u>Remarks</u>
1	M/s HYTRONICS ENTERPRISES INDIA PRIVATE LIMITED- HYDERABAD.	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Plot no 192/A/1, Phase II, IDA, Cherlapally Plot no 192/A/1, Phase II, IDA, Cherlapally HYDERABAD.,Telangana - 500051, India	Ph : 040-27124679/4680 Fax: 040-27121517 E-mail: hytronics_hyd@yahoo.co.in	Capacity (PA) :- 60000 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Voltage: 24 V DC, Contact configuration 12F.4B(Code ABCDE) & 8F.8B (Code: ABCDF) , Style name: QN1 3. Next Quality Audit due on 09.11.2025 to 09.11.2027 (3 to 5 years from last Quality Audit)
2	M/s INTEGRA ENGINEERING INDIA LTD- HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II,Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tandon@integraengineering.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval in this case.
3	M/s SIEMENS LTD-NAVI MUMBAI	Thane - Belapur road Opp. Airoli Station Navi mumbai,Maharashtra - 400708, India	Plot No. C-1, Additional Industrial Area, MIDC, Ambad nashik,Maharashtra - 422010, India	Ph:09842247311 Fax: 04259 — 259212 Email:sushil.karulkar@siemens.com	Capacity (PA) :- 150000 Numbers Remarks: 1. Production capacity for all Metal to Metal relay variants taken together. 2. Contact configuration: 4F.4B, 5F.3B, 6F.2B 3. Next Quality Audit due on 17.09.24 to 17.09.2026 (3 to 5 years from last Quality Audit)

Relay - 110V AC LED ECR for LED Signal Lamp Metal to Metal

Approved Vendors

S.no	Company Name	Registered Address	Factory Address	Contact Detail	Remarks
1	M/s INTEGRA ENGINEERING INDIA LTD-HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II, Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tandon@integraengineering.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval in this case.
2	M/s SIEMENS LTD-NAVI MUMBAI	Thane - Belapur road Opp. Airoli Station Navi Mumbai,Maharashtra - 400708, India	Plot No. C-1, Additional Industrial Area, MIDC, Ambad Nashik,Maharashtra - 422010, India	Ph:09842247311 Fax: 04259 — 259212 Email:sushil.karulkar@siemens.com	Capacity (PA) :- 150000 Numbers Remarks: 1. Production capacity for all Metal to Metal relay variants taken together. 2. Contact configuration: 4F.4B, 5F.3B, 6F.2B 3. Next Quality Audit due on 17.09.24 to 17.09.2026 (3 to 5 years from last Quality Audit)

Relays Special Type Double wound DC neutral (Metal to Metal)

<u>Approved Vendors</u>					
<u>S.no</u>	<u>Company Name</u>	<u>Registered Address</u>	<u>Factory Address</u>	<u>Contact Detail</u>	<u>Remarks</u>
1	M/s INTEGRA ENGINEERING INDIA LTD-HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II,Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tando n@integraengineeri ng.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval in this case.

Relays Special Type WKR2 (Metal to Metal)

Approved Vendors

<u>S.no</u>	<u>Company Name</u>	<u>Registered Address</u>	<u>Factory Address</u>	<u>Contact Detail</u>	<u>Remarks</u>
1	M/s INTEGRA ENGINEERING INDIA LTD-HALOL	Regd Add. : P.O. Box-55, Chandrapura Village, Taluka- Halol Panchmahals,Gujarat - 389350, India	Unit II,Halol Champaner Road, P.O. Chandrapura, Taluka Halol Panchmahals,Gujarat - 391520, India	Ph. No. +91 2676 221870 Mob. No. – 9099918469 Fax No. - +91 2676 220887 Email:umang.tando n@integraengineeri ng.in	Capacity (PA) :- 140700 Numbers Remarks: 1. Production capacity for all relay variants taken together 2. Next Quality Audit due on 28.04.2024 to 28.04.2026 (3 to 5 years from last Quality Audit). Initial approval in this case.